






TLOCRT



PRESJEK A-A




PRESJEK B-B



PRIKLJUČNO-VODDODNI OKNO

NAPOMENA:
 PRIKLJUČNO-VODDODNI OKNO MORA
 BITI LOCIRANO MAX. 1,0M OD OGRADE
 GRADJEVINSKOG PRAVCA, ODNOSNO
 MEDJE PARCELE

SITUACIJA



MATERIJAL	JED.MJERE	KOLIČINA
1. BETON C30/37 ZA DND, ZIDOVE, PLOČU I UL. OKNO	m ³	1,85
2. DAŠČANA DPLATA OKNA I PLOČE	m ²	14,92
3. ARMATURA PLOČE	kg	105,0
4. ŠLJUNAK	m ³	0,32
5. STUPALJKE OD BETONA I ŽELJEZA Ø18	kom	4
7. ŽELJEZNI POKLOPAC VEL. 60X60	kom	1

ENGRAD d.o.o. za projektiranje i nadzor Oločac, K. Zvonimira 6 tel/fax: 033 771-094		Broj TD: 02/18-1	Naručitelj: OPĆINA VRHOVINE Senjska 48, VRHOVINE
Projektant: Verica Lokner d.i.g.	Datum: 01 / 2018	Naziv građevine:	PRIKLJUČNI NA VODOVODNI SUSTAV
Suradnici:	Mjerilo: 1:20	Nivo razrade: Sadržaji:	IDEJNI PROJEKT PRIKLJUČNO VODDODNI OKNO
			Prilog br. 3.3.